



EUROPEAN COMMISSION
DIRECTORATE-GENERAL INFORMATICS
Information Systems Directorate

EU SEND WEB

USER GUIDE

October 2023

Contents

1. INTRODUCTION	3
2. DEFINITIONS	3
3. COMPATIBLE BROWSERS	3
4. ACCESS to EU SEND WEB.....	4
4.1 How to request a new Entity.....	4
4.2 How to access EU SEND WEB	5
5. INBOX	6
5.1 Mark as Read.....	8
5.2 Message Details.....	8
5.3 Download Files	9
5.4 Message Reply.....	9
6. NEW MESSAGE	9
7. SENT MESSAGES	13
7.1 Sent Message Details	14
7.2 Sent Message Status	15
7.3 Download Sent Files	16
8. DRAFT MESSAGES.....	16
8.1 Saving a Draft	17
8.2 Draft Details.....	18
9. NOTIFICATIONS	18
9.1 New Message Notification	18
9.2 Status Notification.....	19
9.3 Retention Warning Notification	20
10. INFORMATION BANNER	20
11. SIGNATURE	21
11.1 Sending with Signature.....	21
11.2 Receiving with Signature	24
12. ENCRYPTION	25
12.1 Download Encrypted Files.....	25
12.2 Remove Certificates	27
13. APPLICATION ICONS	27
14. PAGINATION	29
15. Access to eTrustEx – ONLY for old eTrustEx users	29
16. CONTACT INFORMATION	30

1. INTRODUCTION

This User Guide explains the main functionalities of EU Send Web for a new user.

Certain fonts, components, alignments and popups might look different from the screen captures, depending on the browser and browser version.

2. DEFINITIONS

Key	Description
Entity	An entity represents the part of an organisation or user entitled to use the EU Send Web platform in order to exchange documents
User	An entity can designate one or more users. All users of an entity have access to the same messages received/sent by that entity. A user can have access to more than one entity.
Sender	An entity which is the originator of a message sent through EU Send Web
Receiver	An entity which is the recipient of a message sent through EU Send Web
Channel	A logical communication channel created to enable the communication between two entities.
EU Login credentials	EU Login is the European Commission's user authentication service. In order to access EU Send Web, the user must have valid EU Login credentials

3. COMPATIBLE BROWSERS

The application is compatible with Google Chrome, Mozilla Firefox and Microsoft Edge browsers. If the users try to login to the application with a browser that is not compatible, they will not be able to connect and will be redirected to a page that lists the compatible browsers.

The browser you are using is not supported by the application.

Please use one of the following browsers with the minimum version specified as in the table below:

	Google Chrome	90.0.4430.85
	Mozilla Firefox	78.10.0esr
	Microsoft Edge	90.0.818.46

4. ACCESS to EU SEND WEB

The link to the application is: <https://eusendweb.eusfx.ec.europa.eu/>

Before having access to the application, the user's profile must be configured in an Entity, either by the Administrator of an existing Entity in EU SEND WEB or by requesting the creation of a new Entity (see 4.1).

The "Unique identifier at the Commission" (UID) must be provided to the Administrator.

If the users have already an EU login account, the UID can be found as follows:

- Go to the page <https://webgate.ec.europa.eu/cas/login> and log in.
- Click on the icon  displayed next to your name and choose "My Account".
- Click on "My Account details". The "Unique identifier at the Commission" (or the UID) is displayed on the next page.

If you do not have an EU Login account, you can create one following the instructions in the section "Create an EU Login account" of the EU Login User Guide:

[https://webgate.ec.europa.eu/cas/manuals/EU_Login_Tutorial.pdf].

4.1 How to request a new Entity

EU SEND assigns to organizations (e.g. a law firm) one or several "Entities"(same as "parties" in eTrustEx, the predecessor of EU SEND), that is to say shared spaces which contain an inbox, a sent and drafts folders. Therefore, in order for an organization to use EU SEND to be able to exchange documents with DG Competition, at least one "Entity" needs to be created in EU SEND. An Entity has at least one Entity Administrator who is able to add and remove as many standard Users as necessary. The Entity Administrator is responsible for the creation of additional users (in the same Entity) and for the management of those (standard) users. The users of an Entity can access all incoming and outgoing transmissions of that Entity. However, each Entity is independent and access to documents received, submitted and drafts is limited to the users registered for that Entity. Organisations can request the creation of multiple Entities.

To request the creation of a new Entity, please fill in DG Competition's [EU SEND registration form](#).

Then click on "I do not have an account. I would like to register".

In the registration form the first- and last name, the EU Login ID and the e-mail are pre-filled. Please fill in the rest of the information and click on "Continue", then review everything and finally click on "Submit". After the creation of the Entity, DG Competition will notify the Entity Administrator via email. The Entity Administrator will then be able to add Users to the Entity. For Entity Administrators a dedicated user guide is available in the help menu, accessible via the  icon.

NOTE: The creation (approval) of a new Entity needs human interaction from DG Competition's side. It happens quite fast (usually within an hour), if requested in normal business hours (8h-17h CET). However, it can take longer if requested outside those hours.

4.2 How to access EU SEND WEB

The application uses EU Login for authentication. Two Factor Authentication (2FA) is required. The user needs to have a valid EU Login credential and be registered in EU Send Web with the correct role.

When the user goes to the application or administration URL, he/she is redirected to EU Login page.

EU Login
One account, many EU services

English (en)

Eusend web requires you to authenticate

Sign in to continue

Enter your e-mail address or unique identifier

[Create an account](#) **Next >**

Or

[Sign in with your eID](#)

Add your EU Login UID or email address registered in EU Login and click on Next.

After going through EU Login authentication, the user will be redirected to the application.

EU Login
One account, many EU services

Where is ECAS? English (en)

eusend requires you to authenticate

Sign in to continue

Welcome
n002zw25
(External)

[Sign in with a different e-mail address?](#)

Password

[Lost your password?](#)

Choose your verification method

- EU Login Mobile App PIN Code
- EU Login Mobile App QR Code
- Mobile Phone + SMS
- Token
- Token CRAM
- Security Key or Trusted Platform

Sign in

Add your password

Choose a verification method from the available options

5. INBOX

The Inbox is the first page displayed after the user logs in.

NOTE: DG Competition uses EU SEND Web to receive messages from its external parties (entities), DG Competition does not send messages to its external parties (entities) via EU SEND Web therefore the Inbox is always empty for those external COMP entities.

Entity for which the user is logged in

User name

Unread message: White box with light blue line on the left

The details of a message are displayed when the message is selected

Read messages: Grey box

Please choose a message...

The Read/Unread message visual indication is specific to each user. Even when different users have access to the Inbox of the same entity, they will see which messages they have or have not yet read.

Same entity

Different user

Unread messages

30 unread messages

Please choose a message...

NOTE: If the entity is only Receiver (not allowed to send messages), then only the Inbox will be present and there will not be links to Draft, Sent and New message sections.


The screenshot displays the EU Send Web interface for an entity named 'DemoEntity2'. The top navigation bar includes the European Commission logo, 'EU Send Web', and the user profile 'Digit userGuideUser'. The left sidebar shows a navigation menu with 'Inbox' selected, indicated by a blue bar and a count of '2'. A callout box labeled 'Only the Inbox' points to this menu item. The main content area is titled 'Inbox' and contains a list of five messages, all from 'DemoEntity1'. The messages are:

- Message_2023-July-06_08-48-40-201 (08:48:50) - 4 files - 2.69 MB
- Message_2023-July-06_08-48-22-742 (08:48:30) - 3 files - 51.91 kB
- Message_2023-July-06_08-48-03-663 (08:48:13) - 3 files - 2.67 MB
- Message_2023-July-06_08-47-44-452 (08:47:53) - 3 files - 2.67 MB
- Message_2023-July-06_08-47-22-202 (08:47:35) - 9 files - 2.91 MB

At the bottom of the message list, there is a pagination control showing '1' selected out of 5 items, and a 'View: 5 items per page' indicator. A callout box labeled 'Entity configured only as Receiver' points to the 'ENTITY DemoEntity2' header. To the right of the interface, a blue envelope icon is shown above the text 'Please choose a message...'.


5.1 Mark as Read

The user can mark several messages as 'Read' at once by selecting the checkbox beside the messages they want to mark as read and then clicking on the button that will appear on top of the messages.



5.2 Message Details


When the user selects a message, the details of that message are displayed on the right side.



5.3 Download Files

There are two options to download files:

- By clicking on the name of the file, to download only that file
- By selecting the files and clicking on the download button.



NOTE: If the entity is configured with end-to-end encryption, please refer to Section 11 for more information.

5.4 Message Reply

From the top right of the message details, the user can reply to a message.

If the user clicks on the button 'Reply', he/she will be redirected to the new message form with the original sender already selected as recipient of the message and with the subject prefilled with the prefix 'Re:'.

It is only possible to reply to a message if the entity is configured as a sender and if it has the original sender of the message configured as its recipient.


6. NEW MESSAGE

Only Entities configured as Sender have access to the "New Message" section.

From the left menu, click on the "New Message" button to be redirected to the new message section.


For two entities to be able to exchange messages, a channel of communication needs to be configured between the Sender and Recipient entities.

If an entity configured as Sender has more than one Recipient, there will be a dropdown list in the recipient field for new messages with the list of all possible entities. The user must select the ones for which the message should be sent.



If the entity is configured to exchange with just one other entity, the recipient field will be pre-filled with the recipient entity name. All DG COMP external entities are configured like that, DG Competition being the only recipient.

The user needs to fill in the form and add at least one file before sending the message.



Email recipients: the User can specify here a list of email addresses of DG COMP staff to be notified immediately when the message is sent. DG COMP staff indicated in this field will be notified by email and have immediate access to the attachments submitted.

The list of mail addresses must be separated by semi-colon and be valid EU addresses (ending with @ec.europa.eu).

If no specific DG COMP Email recipient is added, the case team will only be notified once the sending is processed by DG COMP Registry.

Case number: this is the reference of the case as known by DG COMP. Generally, a state aid reference begins with "SA.", a Horizontal reference with "HT.", a merger reference with "M.", "C." or "T-" and an antitrust reference with "AT." or "T-". If your submission has no yet a case number assigned, please fill "N/A" in this field.

Before adding files, the user has the option to save a Draft to continue editing later. It is only possible to save drafts if there are no files added to the message. If files were already added, they need to be removed before saving the draft.

The user can select to send a message with or without end-to-end encryption using the toggle button below the message field if the feature is enabled for that domain. To be able to send with end-to-end encryption, the recipient entity needs to have a public key configured. The information icon beside the toggle button explains how to identify if an entity is configured to receive messages with end-to-end encryption or not.

 **end-to-end encryption**

To be able to send a message with end-to-end encryption the recipient entity needs to have a public key configured.

Entities can have:


-  end-to-end encryption is mandatory
-  end-to-end encryption is optional
- **no icon** entity does not have a public key configured

If the functionality is greyed out, the action is enforced.

Below the message field there is a toggle button to mark a message with high importance. If the button is enabled, the message will have a visual indication that it was sent with high importance and the notifications will also be flagged with high importance.


The user can add the files by dragging and dropping them to the files section or by clicking on the buttons add file or add folder.

The user can change the name of the files that will be sent before they are uploaded. An edit icon will be displayed on the actions column for each file and clicking on it will open a window to change the file name.



When the files are added, an upload button is displayed at the top of the list of files and the user needs to click on it to upload them.

If at least one file is selected, an 'Actions' button will be displayed, where the user can perform actions on the selected files like the deletion of several files at once. The actions button is only available in the List view.




When a file is uploaded correctly, it will have the status 'Success'. All files need to be in status 'Success' before sending the message. The user can add new files after the upload, but the new files also need to be uploaded.

The screenshot displays the 'EU Send Web' interface. On the left, the 'Sending files' form is shown with the following fields: 'To' (containing 'DemoEntity2, DemoEntity3'), 'Subject' (containing 'Subject of the message'), and 'Message' (containing Lorem Ipsum text). There are also checkboxes for 'end-to-end encryption' and 'High importance'. A 'Send' button is highlighted with a callout 'Send the message'. On the right, a 'Drop file/folder' area is visible. Below it, a table lists three attachments, all with a 'Success' status, highlighted with a callout 'All files with Status Success'.

	Name	Size	Status	Action
1	Eiropieši vienoti savā daudzveid...	15.82 kB	Success	
2	europäischer Länder, die sich d...	14.92 kB	Success	
3	Den Europæiske Union (EU) er e...	14.54 kB	Success	

NOTE: It is mandatory to have at least one attachment to be able to send a message.

After sending the message, the user will receive a confirmation popup that the message was successfully sent and once the popup is closed, he/she will be redirected to the Inbox section. The user can verify the message just sent in the Sent section.



NOTE: In addition to the above confirmation popup, each message sent to DG Competition will also trigger an email notification to the user.

7. SENT MESSAGES

Only entities configured as Senders have access to the Sent section. The available functionalities are indicated below.

The screenshot displays the 'EU Send Web' interface for 'ENTITY DemoEntity1'. The left sidebar contains navigation links for 'New message', 'Inbox' (3 items), 'Sent' (7 items), and 'Draft'. The main area shows a list of five sent messages, each with a 'Download' link and a PDF icon. The messages are:

- Message_2023-July-06_08-48-40-201 (08:48:50, DELIVERED)
- Message_2023-July-06_08-48-22-742 (08:48:30, DELIVERED)
- Message_2023-July-06_08-48-03-663 (08:48:13, MULTIPLE)
- Message_2023-July-06_08-47-44-452 (08:47:53, MULTIPLE)
- Message_2023-July-06_08-47-22-202 (08:47:35, MULTIPLE)

 The bottom of the list shows 'View: 5 - items per page' and '1 - 5 out of 30 items'. Callouts point to various features:

- 'Links to the sections' points to the sidebar navigation.
- 'List of sent messages' points to the message list.
- 'Download PDF with the details of the sent message' points to the PDF download link.
- 'Recipient entities' points to the 'To:' field.
- 'Message that was not visualized: White box with light blue line on the left' points to the first message.
- 'Message overall status' points to the 'DELIVERED' badge.
- 'User that sent the message' points to the 'Sent by:' field.
- 'Message that was visualized: Grey box' points to the second message.
- 'The details of a message are displayed when the message is selected' points to the expanded message view on the right.
- 'Please choose a message...' points to the selection prompt in the expanded view.

As we can have more than one user with rights to access the same entity, the name of the user who has sent the message is displayed on the message preview. Also, if a different user sent a message, in the sent folder the message will have an indication it was not visualized. This is to ensure that different users that access the same entity can keep track of what is being done on behalf of that entity.

It is possible to see the overall status of the message. If the message was sent to multiple recipients, the status will be displayed once all messages have the same status. If at least one recipient has the message in a different status, the badge will display the status 'multiple'. The user needs to select the message to be able to see the individual status related to each recipient.

We can also extract a PDF file containing the details of the sent message by clicking on the download link beside the PDF icon for each message.

7.1 Sent Message Details

When the user selects a message, the details of that message are displayed on the right side.

The screenshot displays the 'Sent' messages section of the EU Send Web interface. The left sidebar shows the 'Sent' folder with a count of 7 messages. The main area lists five messages with their IDs, recipients, and status. The selected message (ID: 08-48-13) is expanded to show its details, including a list of recipients, the message content, and a list of attached files. Annotations with arrows point to specific elements: '7 message not visualized yet' points to the folder count; 'Date and time the message was sent. If current day just the time' points to the message timestamp; 'Sender User' points to the 'Sent by' field; 'List of recipients and their respective information' points to the recipient table; 'List of all sent files' points to the file list at the bottom; and 'List of files' points to the file list within the message details.

Name	Status	Received on	E2E encryption
DemoEntity2	READ	09:40:17	
DemoEntity3	DELIVERED	08:48:13	
DemoEntity4	DELIVERED	08:48:13	🔒

Name	Size
Excel1.xlsx	17.30 kB
JPG1.jpg	2.13 MB
PDF1.pdf	534.02 kB

On the list of recipients it is possible to see the recipients of the message, in which status each message is, the date and time the status was changed and if the message was sent with or without end-to-end encryption.

7.2 Sent Message Status

There are three possible statuses for the sent messages: Failed, Delivered and Read.

- The Failed status indicates that there was an issue when the application tried to send the message and it was not successfully sent. The message did not reach the recipient.
- The Delivered status indicates that the message was successfully sent to the recipient.
- The Read status indicates that the message has been read for the first time from the recipient entity's inbox.

NOTE: Messages sent to DG Competition are not read in EU SEND web, but are transferred to DG Competition's own case management application. The READ status only indicates that this transfer took place. It does not mean that a person has read or even opened the message.

The screenshot shows a list of four messages. A box labeled 'Status' has arrows pointing to the status indicators of each message: DELIVERED, READ, FAILED, and MULTIPLE.

Message ID	To	Sent by	Attachments	Status
Message_2023-February-06_16-06-39-412	DemoEntity2, DemoEntity3, DemoEntity4	Digit automationUser1	4 files - 651.19 kB	DELIVERED
Message_2023-February-06_16-06-15-610	DemoEntity3, DemoEntity4, DemoEntity2	Digit automationUser1	4 files - 2.69 MB	READ
Message_2023-February-06_16-05-51-820	DemoEntity2, DemoEntity3, DemoEntity4	Digit automationUser1	8 files - 851.08 kB	FAILED
Message_2023-February-06_16-05-29-814	DemoEntity3, DemoEntity2, DemoEntity4	Digit automationUser1	3 files - 2.67 MB	MULTIPLE

7.3 Download Sent Files

It is possible for the user to download files from a sent message.

There are two options to download files:

- By clicking on the name of the file, to download only that file
- By selecting the files and clicking on the download button.

From the message details:

The screenshot shows a 'List of files' dialog with a 'Download' button. Annotations explain how to download files: clicking a file name or selecting files and clicking the Download button.

Name	Size
Excel1.xlsx	17.30 kB
JPG1.jpg	2.13 MB
PDF1.pdf	534.02 kB

NOTE: If the message was sent with end-to-end encryption, it is not possible to download the files from the sent section.

8. DRAFT MESSAGES

Only entities configured as Senders have access to the Draft section.

When a message is saved as Draft it will be listed in the Draft section.

European Commission | EU Send Web | ENTITY DemoEntity1 - | Digit userGuideUser

Draft

- Draft message 4**
To: DemoEntity3, DemoEntity4
Saved by: Digit userGuideUser
08/02/2023 10:54:35
- Draft message 3**
To: DemoEntity2
Saved by: Digit userGuideUser
08/02/2023 10:49:29
- Draft message 2**
To: DemoEntity3, DemoEntity2
Saved by: Digit userGuideUser
08/02/2023 10:48:49
- Draft message 1**
To: DemoEntity3, DemoEntity4, DemoEntity2
Saved by: Digit userGuideUser
08/02/2023 10:48:02

View: 5 items per page | 1 - 4 out of 4 items

8.1 Saving a Draft

From the New message section, the user has the option to save as Draft.

European Commission | EU Send Web | ENTITY DemoEntity1 - | Digit userGuideUser

Sending files

Receiver info

To*

Subject*

Message

end-to-end encryption ⓘ
 High importance

Save the Draft →

Drop file/folder

+ Add files

Limitations per transmission:


- Up to 1GB per file
- Up to 5GB total size
- Up to 1500 files

These limitations are a guideline and any value above the ones listed will have a direct impact on the performance of the application.

A message cannot be saved as draft if there are any files added or if the message has signature activated.

The user can save the message as draft as many times as needed.


A confirmation message will be displayed when the message is saved and the user can continue to work on the message.



When a user sends a message that was saved as draft, the message will not be available anymore in the draft section.

8.2 Draft Details

When the user selects a message, the details of that message are displayed on the right side.



From the details of the message the user can reopen it. The message will be reopened in the New message section where the user can continue to work on it.


9. NOTIFICATIONS

There are three types of notification: New Message, Status and Retention warning.

The user account can be configured to receive only one type of notification or a combination of them.

9.1 New Message Notification

When a new message arrives in the Inbox of an entity, a notification is sent to all users that belong to that entity if they are registered to receive notifications for new messages.



Link to access the message in the application

Link to download all files


There are two links in the notification:

- The first link redirects the user to the application and to the respective message in the Inbox.
- The second link redirects the user to the application and triggers the download of all files automatically.

9.2 Status Notification

The status notification is sent to all users configured to receive notifications and belonging to the entity that is sending messages whenever a status of a message changes.

For example, when a message has been **Read** by the Recipient entity, the users of the Sender entity will receive a notification that indicates the message has been Read. **NOTE: Messages sent to DG Competition are not read in EU SEND web, but are transferred to DG Competition's own case management application. The READ status only indicates that this transfer took place. It does not mean that a person has read or even opened the message.**



Link to access the message in the application

From the link in the notification, the user is redirected to the application and to the respective message in the Sent section.

9.3 Retention Warning Notification

For users that are configured to receive retention policy warning notifications, a few days before a message is deleted due to the retention policy, a notification is sent.

Dear user,

The message listed below is going to be deleted from EU Send Web in 7 days. Please be aware that the message will be completely removed and will not be available anymore from 30-01-2023.

You can click [here](#) to view the full details of the message.

Date of the message: 2022-11-07 15:31:29.201
Recipient entity: Demo_Entity_2
Sender entity: Demo_Entity_1
Message subject: test
Number of files: 4
Total size of files: 61.20 KB

To access the platform, click [here](#) - To download all documents, click [here](#)

This message has been generated automatically by EUSEND WEB. Please do not reply.

Kind regards,
e-TrustEx Team

Callouts in the image:
- "Link to access the message in the application" points to the first "here" link.
- "Remaining days before deletion" points to "in 7 days".
- "Deletion date" points to "30-01-2023".
- "Link to download all files" points to the second "here" link.

The number of days before the deletion of messages to send the notification depends on the business configuration. DG Competition applies a 12 weeks retention period.

10. INFORMATION BANNER

When there is an important message to be shared with the users, one or more banners might be displayed on the top of the application.

The screenshot shows the top of the EU Send Web interface. On the left is the European Commission logo. The header includes "EU Send Web" and the user's entity "DemoEntity1". On the right, there are user profile and notification icons.

An information banner is displayed, stating: "Information to all users. We would like to inform that EU Send Web will be under maintenance on Wednesday 08/06 from 18:00hs to 18:30hs. Please avoid using the application during that period."


Below the banner is the "Inbox" section, showing three messages from "DemoEntity4":

- Message_2023-July-06_09-07-08-855 (09:07:17) - 4 files - 69.22 kB
- Message_2023-July-06_09-06-51-098 (09:07:00) - 4 files - 651.19 kB
- Message_2023-July-06_09-06-27-864 (09:06:42) - 12 files - 2.96 MB


The banner will be displayed on every login while active.

If the user closes the banner, the information will be moved to the bell icon on the top right of the application. The user can consult it at any time by clicking on the icon and a side bar will open displaying the content of the banner.

When the banner is first closed, it will have an unread status and the icon will have a red circle with an exclamation mark to indicate it is not read.



If the user clicks on the 'Unread' badge, the status will change to 'Read' and the red circle will no longer be displayed. The user can still consult the information.




11. SIGNATURE

The application supports signature for sending messages. The business domain to which the entity belongs to needs to have this feature enabled to be accessible from the application.


NOTE: This feature is set to disabled for DG Competition's entities.

11.1 Sending with Signature

When the signature feature is enabled, a toggle switch will be present in the new message form allowing the user to choose to sign or not to sign a message before sending it.



If the user selects to sign a message, a new section will be displayed for him/her to add the certificate for the signature.



In case the certificate has more than one identity, the user needs to select one before sending the message.

Certificate

Certificate* + Add certificate
 TestConfidential_2.p12 ← When the certificate is selected the name will be displayed

Certificate Password* ↻ Load Identities

Id	Period
<input type="radio"/> gui2_i1c2 ✔ C: BE; ST: BE; L: BXL; O: B2; OU: digit; CN: gui2_i1c2	valid from 19/10/2016 13:04:59 valid until 19/10/2026 13:04:59
<input checked="" type="radio"/> gui2_2 ✔ C: BE; ST: BE; L: BRUSSELS; O: EC; OU: DIGIT; CN: gui2_2	valid from 30/09/2019 10:56:59 valid until 30/09/2029 10:56:59

Select the Identity to use for signature

After adding the password, the identities of the certificate are listed

The identity that will be used to sign the message needs to be valid.
 After filling in the certificate section, the user can continue to complete the message and send it.

From the sent section we can see the messages that have been sent with signature from the 'Signed' label on the message summary.

European Commission | EU Send Web | ENTITY DemoEntity1 - | Digit userGuideUser

Sent

- Lorem Ipsum is simply dummy text of the pr... 10:28:32
 To: DemoEntity3, DemoEntity4, DemoEntity2
 Sent by: Digit userGuideUser
 Download 3 files - 30.75 kB ✔ Signed
- Message_2023-July-06_08-48-40-201 06/07/2023 08:48:50
 To: DemoEntity3, DemoEntity2, DemoEntity4
 Sent by: Digit automationUser1
 Download 4 files - 2.69 MB
- Message_2023-July-06_08-48-22-742 06/07/2023 08:48:30
 To: DemoEntity3, DemoEntity2, DemoEntity4
 Sent by: Digit automationUser1
 Download 3 files - 51.91 kB
- Message_2023-July-06_08-48-03-663 06/07/2023 08:48:13
 To: DemoEntity4, DemoEntity3, DemoEntity2
 Sent by: Digit automationUser1
 Download 3 files - 2.67 MB
- Message_2023-July-06_08-47-44-452 06/07/2023 08:47:53
 To: DemoEntity3, DemoEntity2, DemoEntity4
 Sent by: Digit automationUser1
 Download 3 files - 2.67 MB

Please choose a message...

11.2 Receiving with Signature

When a received message was signed, the user will see the 'Signed' label on the message summary and on the message details.

After verification, if the signed content is trustworthy, the signed icon and label in the message details will be displayed in green.

The screenshot shows the EU Send Web interface. The top navigation bar includes the European Commission logo, 'EU Send Web', and the user profile 'ENTITY DemoEntity2 - Digit userGuideUser'. The main content area is divided into an 'Inbox' on the left and a message details view on the right. The 'Inbox' shows a list of messages, with the first one highlighted and labeled 'Message received with signature'. The message details view shows the message content, a 'Signed' label, and a 'List of files' section with a 'Download' button.

Message received with signature

Signed content verification

10:28:32
Signed

10:28:32
Lorem Ipsum is simply dummy text of the printing and typesetting industry.

From: DemoEntity1

Message

10:28:32
Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the [show more...](#)

List of files

3 files - 30.75 kB

Download

Name	Size
Text1.txt	28.33 kB
Text2.txt	16 Bytes
Text3.txt	2.41 kB

View: 5 items per page 1 - 5 out of 31 items

If the validation fails and the message is considered not to be trusted, as soon as the user opens the message a warning will be displayed and the label on the message details will be 'untrusted message!'

The screenshot shows the EU Send Web interface with a warning dialog box overlaid on the message details. The dialog box has a red header and contains the following text: 'Signature validation failed!', 'The signature failed validation!', 'The content of this message might have been tampered. It is strongly suggested not to download the attachments of this message as they could have been altered.', and 'Proceed at your own risk.' There is an 'Ok' button at the bottom right of the dialog. The background shows the message details view with a red 'Untrusted message!' label.

Signature validation failed!

The signature failed validation!

The content of this message might have been tampered. It is strongly suggested not to download the attachments of this message as they could have been altered.

Proceed at your own risk.

Untrusted message!

10:28:32
Untrusted message!

10:28:32
Lorem Ipsum is simply dummy text of the printing and typesetting industry.

From: DemoEntity1

Message

10:28:32
Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the [show more...](#)

List of files

3 files - 30.75 kB

Download

Name	Size
Text1.txt	28.33 kB
Text2.txt	16 Bytes
Text3.txt	2.41 kB

View: 5 items per page 1 - 5 out of 31 items

10:28:32

! Untrusted message!

Lorem Ipsum is simply dummy text of the printing and typesetting industry.x

From: DemoEntity1

Untrusted message

Message

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the [show more...](#)

Even if the message is untrusted, the user will still be able to download the files, but it is highly recommended not to.

A .json file can be downloaded with the details of the content that was signed by clicking on the label 'Signed' or 'Untrusted message!' present on the message details.

12. ENCRYPTION

All files sent through EU Send Web are encrypted.

As soon as the user uploads files in the New Message section, the files always get encrypted client side during the upload. They will be sent with encryption and the application will decrypt them server side when the Recipient downloads the files unless the recipient is configured to use end-to-end encryption.

The application supports end-to-end encryption as an extra layer of security for entities. To be able to send a message with end-to-end encryption, the recipient entity needs to have a public key configured. When a message is sent with this type of encryption, the public key is used in the encryption process, the Recipient will need to add the corresponding private key to be able to download the files and the decryption will be done client side. In that way the server does not have the information for decryption and the files will only be readable by the intended recipient.

12.1 Download Encrypted Files

If the entity is configured with end-to-end encryption, the users of that entity need the private key to decrypt and download files. In the message details there is a section related to the encryption certificate. The user needs to add the correct private key before downloading the files.

In case the certificate has more than one identity, the correct one should be selected to download the files.

Id	Period
<input checked="" type="radio"/> gui2_i1c2 C: BE; ST: BE; L: BXL; O: B2; OU: digit; CN: gui2_i1c2	valid from 19/10/2016 13:04:59 valid until 19/10/2026 13:04:59
<input type="radio"/> gui2_2 C: BE; ST: BE; L: BRUSSELS; O: EC; OU: DIGIT; CN: gui2_2	valid from 30/09/2019 10:56:59 valid until 30/09/2029 10:56:59

If the identity selected has the correct decryption information, the files will be decrypted and downloaded successfully, otherwise, an error message will be displayed.


Decryption failed!

The identity selected does not contain the correct decryption information, please select a different certificate/identity!


NOTE: when the user loads a certificate, the certificate remains selected and loaded while still in the same session. The user can select different messages and doesn't need to add the certificate again.

12.2 Remove Certificates

When a certificate is loaded in the application, an icon on the top right of the application will indicate that a certificate is present.



Clicking on the icon, a dropdown with the list of all identities of the certificate will be displayed.



From the list, it is possible to remove the identities. Just click on the delete icon and the identity will be removed from the session.

13. APPLICATION ICONS

In the application, several icons are used to represent possible actions and functionalities. See below a list with the most important ones:

ICON		DESCRIPTION
		Search / Close search: Clicking on the search icon will open the search section where the user can search messages by subject or entity and set a date range. In new message section the user can search for a recipient entity.
		Refresh: This button will refresh the list of messages.
		Show unread messages / Show all messages: The user can filter the messages listed by unread.
		Expand subject list / Collapse subject list: If there are messages with a long subject the user can collapse the subject in the summary list. The subjects will be trimmed and displayed in one line making it easier for the user to go through the messages.
		Open filters / Close filters: Clicking on the icon will open the filters section. From that section he user can use the filters available.
		Collapse left menu / Expand left menu: The user can collapse and expand the left menu to gain space to display the messages.
		Help: From the help icon on the top right of the application the user has a link to the support email address and he/she can download the user guides.
		Information banner: The user can check the active banners that were closed at any time. If the bell icon has a red circle with an exclamation mark, it indicates that there are notifications that were not yet marked as read.
		Information: This icon indicates that there are extra information available for that feature. The user just needs to click on it to display the information.
		Tree view / List view: The list of files can be displayed in two different views: tree view and list view. The user can switch between them by clicking on the icon.
		Certificate: If this icon is displayed on the top of the application, it means that a certificate was loaded for the session. The user can use the certificate to download encrypted messages and use it for signature, without the need to upload the certificate for every action. Clicking on the icon will display a dropdown with the list of the certificate identities and they can be removed at any time.

14. PAGINATION

In the application, the messages are listed and displayed in pages. The user can select how many items per page he/she wants to display by clicking on the number and selecting from the options.




The number of items displayed per page is saved by user and when he/she logs in again, the last value selected will be the one displayed.

To move between pages the user can use the arrows beside the page numbers or simply click on the number of the page he/she wishes to access.

15. Access to eTrustEx – ONLY for old eTrustEx users

eTrustEx (the predecessor of EU SEND) will remain accessible in READ ONLY mode and only for accounts/users which were registered before the migration (11/11/2023). This is to enable access to already sent submissions (see the SENT folder) and only until 17/02/2024.

Old eTrustEx users can access eTrustEx from EU SEND via their user details menu (see in the upper-right corner in EU SEND) or via a direct link.



16. CONTACT INFORMATION

Technical support for DG Competition's entities/users only:

COMP-EU-SEND@ec.europa.eu

EU Send Service Desk

Standard Service:

- 8:00 - 18:00 CET on normal Commission working days
- Only by email: DIGIT-EU-SEND@ec.europa.eu

Standby Service:

- 18:00 - 8:00 CET on normal Commission working days
- Available 24 hours on weekends, Commission and public holidays
- Only by phone: EC Central Helpdesk: +32 2 95 81 81
- Only for critical and urgent incidents in production environment